

T. 3, R. 2 W. 1st Mer.

157	157	157	157	157	157
163 6	187 5	172 4	189 3	174 2	190 1
186 188	186 188	188 190	188 189	190 191	191
164 7	187 8	171 9	189 10	174 11	190 12
170	171	172	173	174	175
164 18	185 17	169 16	183 15	173 14	181 13
185	185 186	183 184	183 184	182	182
164 19	185 20	169 21	183 22	173 23	181 24
170	169	168	168	167	167
165 30	176 29	166 28	178 27	167 26	179 25
176 177	176 177	177 178	177 178	180	179 181
165 31	176 32	166 33	178 34	166 35	179 36
159	159	160	160	160	161

T. 4, R. 2 W. 1st Mer.

234	237	237	236	235	235
6	5	4	3	2	1
232	232	230	229	228	227
7	8	9	10	11	12
225	225	224	223	222	221
18	17	16	15	14	13
219	218	217	216	215	214
19	20	21	22	23	24
212	212	210	209	208	208
30	29	28	27	26	25
205	205	204	203	202	201
31	32	33	34	35	36
198	198	197	195	194	193

T. 4. R. 2. W. 1st Mer.

Township No. 4. Range No. 2 West. 1st Mer
Indiana

North Commenced a survey of the 4th Township in Range No. 2 West of the Meridian; From the S. East corner of said Township, thence North on the E. side of the same commence on the side of a hill inclining to the West from the corner stands a Blue Ash tree 14 ins. dia bears N 63 W 20 lbs. dist. & a Black Oak tree 18 ins. dia bears S 75 E 31 lbs. dist. — Marked & numbered by the plan, this corner made by Benj. Chambers —
9.00 Down a descent to a Water course 4 lbs. runs N. 17.45 an Elm 13 ins. dia. in the line the Water course here runs N 25 E
26.56 a Water course 12 lbs. wide runs East
49.95 a Hickory tree 28 ins. dia. in the line
67.20 a Water course 4 lbs. wide runs East
78.75 came to a stake set by Benjamin Chambers at the cor. of Sec. (No. 30 & 31. T. 4. R. 1 W. Dis
89.00 Our land divided into small hills, rich soil, timbered with Oak, Ash, Sugar tree, &c. Set stake at the corner of Sec. No. 25 & 36 T. 4. R. 2 W. Dis from which a Sugar tree 12 ins. dia. bears N 32 W 15 lbs. & an Elm tree 12 ins. dia. bears S 36 E 46 lbs. dist. —
Marked & numbered to the plan & rate. Mar. 4.50

West From the S. E. corner of T. 4. R. 2. W. Dis thence West
1.75 a Water course 3 lbs. wide runs N 10 E
37.60 a Water course 3 lbs. wide runs N 30 E
40.00 Over land generally rising & falling rich soil. Timbered with Oak, Ash, Sugar tree & Locust. 2nd rate soil. Set 1/2 sec. post from which an Ash tree 24 ins. dia bears S 21 E 167 lbs. dist. & a White Oak tree 15 ins. dia bears N 53 W 13 lbs. dist. — Marked half sections

West Continue West

T. 4. R. 2. W. 1. Sec.

- 20.30 a Hickory tree 15 ins. dia. in the line
 39.52 came to a stake set by Benjamin Chambers
 at corner of Sect. No. 14 & 12 T. 4 R. 2. W. 1. Sec.
 40.00 over land conveniently level, rich soil. Timber
 with Oak, Ash, Sugar tree, Locust &c. good 2^d rate
 land, - set stake at the corner of Sect. No. 36 &
 35 T. 4 R. 2 W. 1. Sec. from whence an Ash tree
 26 ins. dia. bears N 11 W 24 lbs. dist. & an Elm
 tree 13 ins. dia. bears S 60 E 28 lbs. dist. - Marked
 & numbered by the plan Mar. 3. 33

North from the corner of Sections No. 35 & 36 - T. 4. R.
 2. W. 1. Sec. thence North

- 6.20 an Elm tree 13 ins. dia. in the line
 27.26 a Water course 3 lbs. wide runs N 80 W
 45.30 a Black Walnut tree 18 ins. dia. in the line
 64.00 a White Oak tree 30 " " " "
 80.00 over land entirely composed of small ridges,
 rich soil, 2^d rate land, timbered with Ash, Walnut,
 Sugar tree, much Spice brush, set stake at the corner
 of Sect. No. 25, 26, 35 & 36 T. 4. R. 2. W. 1. Sec. a
 White Oak tree 20 ins. dia. bears S 77 W 21 lbs. dist.
 & a Sugar tree 6 ins. dia. bears N 84 E 17 lbs. dist.
 Marked & numbered to the plan

West From the corner of Sect. No. 35 & 36, T. 4. R. 2. W. 1. Sec.
 thence West on the South Boundary of T. 4. R. 2. W. 1. Sec.

- 24.30 an Elm tree 15 ins. dia. in the line
 37.72 an Elm " 16 " " " "
 40.00 Over level land, rich soil. Timbered with Hickory
 Oak, Ash &c. may be termed 2^d rate, set 1st sec.
 post from which a Blue Ash tree 13 ins. dia. bears
 N 34 W 4 lbs. dist. & a White Oak tree 18 " " "
 S 48 E 12 " " - Marked half section

West Continued West

J. L. R. 2. W. 1st Mer.

- 3.18 a Hickory 20 ins. dia. in the line
 6.50 Downs and easy descent to a water course 10 fms. wide runs S 70° W.
 25.00 a small water course 3 fms. wide runs S 30° W
 39.25 came to a stake set by Benjamin Chambers at the corner of Sec. 2 & 3 T. 3. R. 2. W. D^{is}
 40.00 over land composed of small hills, but not very steep, rich soil, timbered with Oak, Ash, Sugar tree & some Walnut, set stake at the corner of Sec. no. 34 & 35 T. 4 R. 2 W. D^{is} from which an Elm tree 16 ins. dia. bears S 38° W 37 fms. dist. & a Blue Ash tree 16 ins. dia. bears N 50° E 27 fms. Marked & numbered to the plan Nov. 4. 5

North From the corner of Sec. no. 34 & 35 T. 4. R. 2. W. D^{is} thence North

- 1.65 a Sugar tree 18 ins. dia. in the line
 35.70 a Water course 6 fms. wide runs N 30° W. come over land conveniently level
 40.90 a water course 3 fms. wide runs S 70° W
 50.68 a Blue Ash tree 28 ins. dia. in the line
 58.50 a Water course 3 fms. wide runs N 60° W
 64.34 a White Oak tree 16 ins. dia in the line
 68.74 a Water course 3 fms. wide runs S 60° W
 80.00 Over-hilly land, may be termed 3rd rate, timbered with Oak, Ash, Sugar tree &c. rich soil. much Spice brush, set stake at the corner of Sec. no. 34 & 35 T. 4 R. 2. W. D^{is} a Blue Ash tree 12 ins. dia. bears S 116° 20 fms. & an Elm tree 13 ins. dia. bears N 41° W 45 fms. — Marked & numbered to the plan

West From the corner of Sec. no. 34 & 35 T. 4 R. 2. W. D^{is} thence West on the South Boundary of said Town.

- 1.50 a Water course 10 fms. wide runs N 70° W
 13.30 a Water course 2 " " " N 45° W

C. 4. R. 2. W. 1st Mer.

- 19.65 an Elm tree 20 ins. dia. in the line
 31.30 a Water course 5 lks. wide runs N 30° W
 40.00 over land conveniently level, rich soil. 2nd rate,
 timbered with Oak, Ash, Sugar tree Locust, &c.
 Set 1/2 sec. post - a White Oak tree 28 ins. dia.
 bears S 15° W 34 lks. dist. & another White Oak tree
 22 ins. dia. bears N 37° E 54 lks. dist.
 O Marked half section

West Continue West

- 1.00 a White Oak tree 36 ins. dia. in the line
 24.00 a Water course 4 lks. wide runs N 60° W
 37.85 a White Oak tree 36 ins. dia. in the line
 39.20 came to a stake set by Benjamin Chambers at
 the corner of Sec. No. 3 & 4. T. 3. R. 2. W. D^{is}
 40.00 over land divided into hills of an easy descent
 2nd rate. timbered with Oak, Ash, Hickory &c. Set
 stake at the corner of Sec. No. 33 & 34. T. 4. R. 2. W.
 of the M. from whence a White Oak tree 28 ins.
 dia. bears S 37° W 75 lks. dist. & a Oak tree 15 ins.
 dia. bears N 23° E 31 lks. dist. Marked and
 Numbered to the plan Tab. I. 5

North From the corner of Sec. No. 33 & 34. T. 4. R. 2.
Mt. Dis. thence North

- 12.50 a White Oak tree 16 ins. dia. in the line
 15.00 a Water course 7 lks. wide runs N 40° W
 53.00 a Do. Do. 4 " " " N 60° W
 54.20 a White Ash tree 15 ins. dia. in the line
 80.00 Over broken 3rd rate land, timbered with ash,
 Sugar tree &c. much Spice brush & underbrush
 Set stake at the corner of Sec. No. 33. 34. 27 & 28
 C. 4 R. 2. W. D^{is} an Ash tree 17 ins. dia. bears
 S 62° W 33 lks. dist. & a Sugar tree 14 ins. dia. bears
 N 75° E 53 lks. dist. Marked & numbered to the plan

T. 4. R. 2. W. 1. N. 1st Mer

West From the corner of Sec. (No. 33 & 34. Thence West
 4.25 a White Oak tree 26 ins. dia. in the line
 26.50 a Water course 8 hrs. wide runs N 55° W
 39.40 a Black Oak tree 16 ins. dia. in the line
 40.00 over broken hilly 3^d rate land, timbered with
 Oak Hickory &c. Set 1/2 sec. post - a White Oak
 tree 15 ins. dia. bears S 32° E 15 hrs. dist. & another
 White Oak tree 16 ins. dia. bears S 32° W 57 hrs.
 Marked & numbered to the place

West Continue West

7.00 a Sugar tree 16 ins. dia. in the line
 25.87 a Black Oak tree 13 ins. dia. in the line
 38.70 came to a stake set by Benjamin Chambers
 40.00 Over rough hilly land 3^d rate, timbered with Oak
 Hickory &c. Set stake at the corner of Sec. (No. 32
 and 33. T. 4. R. 2. W. 1. N. 1st a White Oak tree 14 ins.
 dia. bears S 85° W 26 hrs. dist. & a Sugar tree 9 ins.
 dia. bears N 33° E 20 hrs. dist.
 Marked &c. Far L. 10

North From the corner of Sec. (No. 32 and 33. - T. 4. R.
 2. W. 1. N. 1st thence North

Commence rising a steep hill

5.20 a Black Oak tree 8 ins. dia. in the line
 37.10 a Water course 4 hrs. wide runs N 38° W
 60.45 a Blue Ash tree 15 ins. dia. in the line
 62.00 over very hilly land. came to a creek bottom
 70.00 came to a creek 80 hrs. wide runs N 20° E
 75.00 To the middle of Laughery's creek 1 chain and
 50 hrs. wide runs N 20° E comes from N 40° W.
 80.00 over low Sycamore bottom, this mile may be
 termed 3^d rate. Timbered with Oak. Ash. Hickory
 &c. Set stake at the corner of Sec. (No. 3. 2. 33. 28.
 & 29 T. 4. R. 2. W. 1. N. 1st a Sycamore 36 ins. dia.
 bears N 58° E 37 hrs. dist. & another Sycamore

S. 4. R. 2. W. 1. Mer.

tree 14 ins. dia. bears S 25 W 81 lbs. dist.
Marked and numbered

West From the corner of Sec. (No. 32 & 33. T. 4. R. 2.
W. Dis. thence West on the South Boundary of
said Township

- 1.50 a Water course 50 lbs. wide runs N 52 W
2.50 Begin to rise a steep hill
6.65 a White Oak tree 18 ins. dia. in the line
26.45 a Water-course 4 lbs. wide runs N 20 W
36.00 a Do Do 3 " " " N 22 W
40.00 over rough hilly 3^d rate land, timbered with Oaks
Hickory, Ash &c. - set 1/2 sec. post - a Black Oak
tree 16 ins. dia. bears N 45 W 28 lbs. dist. & another
Black Oak tree 6 ins. dia. bears S 46 E 29 lbs. dist.
Marked half section

West Continue West

- 1.75 a Water course 6 lbs. wide runs N 10 W
59.5 a Do Do 4 " " " N 10 E
6.63 a Hickory tree 16 ins. dia. in the line
32.00 a Water course 3 lbs. wide runs N 48 W
37.94 came to a stake set by Benjamin Chambers
40.00 Rose very rough hilly land, thin soil, timbered
with Oaks, Hickory &c. 3^d rate land. set stakes
at the corner of Sec. (No. 31 & 32. T. 4. R. 2. W. Dis.
a Sugar tree 12 ins. dia. bears N W 5 lbs. dist.
& a Hickory tree 16 " " " S. E. 24 " "
Marked & numbered to the plan. Var. 4.15

West From the corner of Sec. (No. 31 & 32. thence West
Commence ascending steep hill

- 9.50 a Water-course 10 lbs. wide runs N 30 W
20.00 came to a creek 1 ch. & 20 lbs. wide, runs N 47 E
33.00 over a bottom to the foot of a hill
40.00 over rough hilly 3^d rate land, timbered with

T. 4. R. 2. W. 1. Mer

Hickory &c. Let $\frac{1}{2}$ sec. post. a Hickory tree 12 ins. dia. bears N 18 E 5 lrs. dist. & a Black Oak tree 6 ins. dia. bears S 71 E 7 lrs. dist.

Marked $\frac{1}{2}$ section

West Continue West

13.50 a Beech tree 16 ins. dia. in the line
 40.15 over land conveniently level gradually rising & falling, may be termed 2^d rate, timbered with Oak, Ash, Beech, Hickory &c from the further West corner of T. 4. R. 2. W. 1. Dis. stands a Beech tree 14 ins. dia. bears S 86 E 22 lrs. dist. & another Beech tree 16 ins. dia. bears S 83 W 37 lrs. dist. Marked & numbered to the plan. Var. 4 10

North from the corner of Sec. No. 31 & 32 T. 4. R. 2. W. 1. Dis. thence North - commenced descending a steep hill

6.50 a Water-course 4 lrs. wide runs N 40 W
 11.00 Down steep hill to a stream of water - 88 lrs. wide, runs N 30 E
 15.30 a Black Oak tree 15 ins. dia. in the line
 18.00 came to the foot of a steep hill
 39.65 a Water-course 2 lrs. wide runs East
 53.55 a Do Do 4 " " " N 80 E
 61.20 a White Oak tree 32 ins. dia. in the line
 78.05 a Beech tree 16 ins. dia. in the line stands at the edge of Laughheries creek
 79.00 came to the edge of the water
 80.00 cornered in the creek from the corners of Sec. No. 31. 32. 29 & 30 a Beech tree 16 ins. dia. bears South 1 chain & 95 lrs. dist. & a White Oak tree 15 ins. dia. bears S 89 E 83 lrs. dist. - Marked & numbered to the plan. This mile very hilly 3^d rate land, timbered with Oak, Hickory Beech &c. the creek at this place runs N 19 E comes from N 60 W

T. 4. R. 2. W. 1. Mer.

East From the corner of Sec. No. 31. 32 & 29. 30.
thence East on a Random line

80.15 came opposite the corner of Sec. No. 32. 33. 28
& 29. T. 4 R. 2 - fell 68 lbs. South

East From corner of Sec. No. 32. 33 & 28. 29. thence E.
79.88 Departed 34 lbs. North from the corner of Sec.
No. 33. 34. 27 & 28

East From the corner of Sec. No. 33. 34. & 27. 28
thence East on the Random line
79.95 Departed 2 lbs. from the corner of Sec. No.
26. 27 & 34. 35

East From the corners of Sec. No. 26. 27. 35 & 35 thence E.
79.58 Departed 29 lbs. North from the corner of Sec.
No. 25. 26. 35 & 36

East From the corner of Sec. No. 25. 26. 35 & 36 thence E.
77.70 Departed 6 lbs. North from corners of sections
No. 25 & 36.

North From the corner of Sec. No. 25 & 36 thence North
on the East Boundary of T. 4. R. 2. W. 1.
1.65 a Water course 4 lbs. wide runs S70E
7.50 a White Ash tree 13 ins. dia. in the line
12.00 a Water course 3 lbs. wide runs S60E
33.00 as do do 6 " " " S50E
58.75 a White Ash tree 26 ins. dia. in the line
77.65 came to a stake set by Benjamin Chambers
at corner of Sec. No. 19 & 30. T. 4 R. 1. W. Dis.
80.00 set stake at the corner of Sec. No. 24 & 25. T. 4.
R. 2. W. Dis from which stands a White Ash
tree 18 ins. dia. bears N43E 21 lbs. dish. & a
Sugar tree 13 ins. dia. bears N4E 14 lbs. dish.

T. L. R. 2. W. 1. Mer.

Marked & numbered to the plan - The 1st 20 chs. of this mile rough & hilly the remainder - part level 1st rate land, upon an average 2^d rate, timbered with Locust, Ash, Sugar tree &c. much Spice Bush. Variation 500

West From the corner of Sec. (No. 25 & 36 T. 4. R. 2 W. thence West to the corner of Sec. 25. 26. 35 & 36
 6.32 a Locust tree 14 ins. dia. in the line
 29.84 a Sugar tree 10 " " " "
 39.98 Over 2^d rate land conveniently level, timbered with Oak, Ash, Locust, Hickory, &c. Set 1/2 section apart at the intermediate distance an ash tree 13 ins. dia. bears N 48 W 9 Mts. dist. & a Dogwood bush 10 ins. dia. bears S 39 E 9 Mts. dist
 Marked 1/2 sec.

West Continue West
 6.28 a Locust tree 8 ins. dia. in the line
 11.50 a Water course 3 Mts. wide runs North
 13.00 a Do Do 3 " " " N 10 E
 31.92 a White Oak tree 20 ins. dia. in the line
 39.98 came to the corner of Sec. (No. 25. 26. 35 & 36 T. 4 R. 2 W. Dis. - came over hilly 3^d rate land timbered with Oak, Hickory, Ash &c

North From the corner of Sec. (No. 25. 26. 35 & 36. T. 4. R. 2. W. Dis. thence North
 14.36 a Walnut tree 18 ins. dia. in the line
 56.50 a Water course 30 Mts. wide runs N 32 E
 60.00 a Blue ash tree 22 ins. dia. in the line
 78.20 came to the water course last mentioned 50 Mts. wide runs N 50 W
 80.00 over land rising & falling in hills, but not steep Timbered with Ash Walnut & Sugar tree - rich soil, may be termed 2^d rate, set stakes at

T. 4. R. 2. W. 1. Mer.

The corner of Sec. No. 23 & 24, 25 & 26. T. 4. R. 2. W. 1. is, the stake in the edge of a bottom, a Buckeye tree 12 ins. dia. bears S 33 W 23 Mos. dist. & a Blue Ash tree 16 ins. dia. bears, S 33 E 56 Mos. dist. Marked & numbered to the plan

West From the corner of Sec. No. 25, 26, 35 & 36. T. 4. R. 2. W. 1. thence West to the corner of Sec. 26, 27, 34 & 35 -
 5.08 a White Ash tree 16 ins. dia. in the line
 23.55 a Water course 12 Mos. wide runs North
 27.76 a Do. Do. 3 " " " N 60 E
 28.24 a Poplar tree 20 ins. dia. in the line
 39.94 came over rough hilly 3rd rate land, timbered with Oak, Hickory &c. Set 1/2 Sec. post at the intermediate distance an Ironwood tree 13 ins. dia. bears N 73 W 16 Mos. dist. & another Ironwood tree 10 ins. dia. bears S 65 E 11 Mos. distant - Marked 1/2 Sec.

West Continue West

12.23 a White Oak tree 12 ins. dia. in the line
 27.35 a White Oak tree 36 " " " " "
 39.94. Came to the corner of Sec. No. 26, 27, 34 & 35.
 T. 4. R. 2. W. 1. Passed over hilly land, rich soil, Timbered with Oak, Ash, Sugar tree &c. may be termed 3rd rate.

North From the corner of Sec. 26, 27, 34 & 35. thence North
 6.26 an Elm tree 14 ins. dia. in the line
 10.56 a Water course 3 Mos. wide runs N 30 E
 22.00 a Do Do runs N 20 W
 25.10 another water course 4 Mos. wide runs N 70 W
 38.50 another Do Do 4 " " " N 40 W
 61.22 another Do Do 4 " " " N 62 W
 81.00 over very rough hilly land. timbered with Oak, Hickory &c. poor 3rd rate, Set stake at the corner of Sec. No. 22, 23, 26 & 27 T. 4. R. 2. W. 1. is, a

T. 4. R. 2. W. 1st Mer.

Sugar tree 9 ins. dia. bears S 45 W 26 lks. dist. &
 another Sugar tree 15 ins. dia. bears S 86 22 lks. dist.
 Marked & numbered to the plan.

West From the corners of Sec. No. 26. 27. 34 & 35 thence
 West to the corners of Sections No. 27. 28. 33 & 34
 T. 4. R. 2. W. 1st

- 7.38 an Elm tree 14 ins. dia. in the line
 32.10 a Water course 3 lks. wide runs S 50 W
 33.12 an Elm tree 15 ins. dia. in the line
 39.97 over hilly Potato land, rich soil, timbered with
 Oak, Ash, Sugar tree, &c. Set 7th section post at
 the intermediate distance - a Sugar tree 6 ins. dia. bears
 N 29 W 6 lks. dist. & a Sugar tree 14 ins. dia. bears
 S 35 39 lks. dist. - Marked 7th section

West Continue West

- 5.12 a White Oak tree 18 ins. dia. in the line
 17.50 a Water course 12 lks. wide, runs North
 36.95 a White Oak tree 16 ins. dia. in the line
 39.97 came to the corners of Sec. No. 27. 28 & 33. 34. T. 4.
 R. 2 - Passed over very rough hilly Potato land,
 timber Oak, Ash, Sugar tree, Hickory &c.

North From the corner of Sec. No. 27. 28. 33 & 34 thence North

- 9.00 a White Oak tree 30 ins. dia. in the line
 26.10 a Water course 8 lks. wide runs N 40 E
 59.08 a Do. Do. 5 " " " N 50 E
 66.07 a Sugar tree 13 ins. dia. in the line
 80.00 Over very rough hilly land, Potato. Timbered with
 Oak, Ash, Sugar tree, Hickory &c. - Set stake at
 the corner of Sec. No. 21. 22. 27 & 28. T. 4. R. 2. W. 1st
 a Sassafras tree 6 ins. dia. bears N 69 E 17 lks. dist. &
 a Sugar tree 12 " " " S 62 W 52 " "
 Marked & numbered to the plan

S. L. R. D. W. 1st Mer.

West From the corners of Sec. No. 27, 28, 33 & 34. Thence

West to the corners of Sec. No. 28, 29, 32 & 33.

S. L. R. D. W. Dis.

- 1.10 a White ash tree 14 ins. dia. in the line
 21.50 a Water course 15 lbs. wide, runs North
 37.12 a Sugar tree 12 ins. dia. in the line
 39.79 Set $\frac{1}{2}$ sec. post. at the intermediate distance, from
 which a Sugar tree 10 ins. dia. bears N 48° 25 lbs. dist
 Another Do Do 13 " " " S 23 W 57 " "
 Marked $\frac{1}{2}$ sec. — This $\frac{1}{2}$ mile very hilly 3rd rate
 land, timbered with Oak, Hickory, Sugar tree &c
-

West Continue West

- 4.43 a White Oak 30 ins. dia. in the line
 32.83 a Blue ash tree 14 ins. dia. in the line
 34.50 over very rough hilly 3rd rate land, came to Laughers
 creek 1 chain & 50 lbs. wide, runs N 23 E
 39.79 came to the corner of Sec. No. 28, 29, 32 & 33. S. L. R. D. W.
-

North From the corners of Sec. No. 28, 29, 32 & 33, thence N.
 commence on low Ryegrasse bottom

- 0.97 a White ash tree 12 ins. dia. in the line
 39.84 a Hickory tree 14 " " " " "
 42.00 Rose small bank came over handsome bottom
 54.00 a Water course 10 lbs. wide runs S 80 E
 67.50 a Do. Do 12 " " " S 70 E
 68.30 a Hickory tree 12 ins. dia. in the line
 70.00 over rich 1st rate land began to rise a hill
 of an easy ascent
 80.00 Rose a hill. This mile 1st rate land, timbered
 with ash, Walnut, Sugar tree, &c. Set stake
 at the corners of Sec. No. 20, 21, 28 & 29. S. L. R.
 D. W. Dis. — a White Oak tree 12 ins. dia. bears
 N 26° 5 lbs. dist. & a Blue ash tree 14 ins. dia
 bears S 32 W 25 lbs. dist. — Marked to the place
-

S. 4. R. 2. W. 1st Mer.

West From the corner of Sec. No. 28 29. 32 33
thence to the corner of Sec. No. 29. 30. 31 & 32
S. 4 R. 2 W. 1st

- 2.00 came to Laugheries creek
4.20 crossed the same
6.00 Began to rise a steep hill
7.50 a Blue Ash tree 17 ins. dia. in the line
37.88 a Sugar tree 15 " " " "
39.98 This line runs on the North side of a hill in-
clining towards Laugheries creek 3rd rate land
timbered with Beech. Ash. Sugar tree &c. Let $\frac{1}{2}$
Sec. part, at the intermediate distance - an Elm
tree 14 ins. dia. bears N 75 E 49 lbs. dist. & a
Beech tree 15 ins. dia. bears S 20 W 37 lbs. dist.
Marked $\frac{1}{2}$ Sec

West Continue West

- 5.24 a Beech tree 18 ins. dia. in the line
12.30 a Water course 7 lbs. wide runs N 28 E
26.04 a Poplar tree 14 ins. dia. in the line
39.98 came to the corner of Sec. No. 29. 30. 31 & 32
standing Laugheries creek

West From the corner of Sec. No. 29. 30 & 31. 32 thence
West parallel with the S. boundry of Township

- 2.00 rose the bank of Laugheries creek
8.20 a Beech tree 16 ins. dia. in the line
18.00 came to the creek again, passed over Beech bottom
23.00 crossed the creek
32.00 on a overflowed bottom, came to the creek again
38.00 in the creek at this place comes from N 70 W
40.00 Let $\frac{1}{2}$ Sec. part, on good bottom 1st rate land,
adjoining the creek bottom, narrow from this
part, stands a Black Oak tree 24 ins. dia. bears
S 50 E 41 lbs. dist. & a White Ash tree 12 ins. dia. bears
N 19 W 11 lbs. dist. Marked $\frac{1}{2}$ Sec.

T. L. R. 2. W. 1st Mer.

West. Continue West

- 10.56 a Blue Ash tree 16 ins. dia. in the line, the creek
at this place 5 chs. North, at right angles
25.83 a Hackberry tree 14 ins. dia. in the line
35.00 came to the creek again
37.30 crossed creek comes from S 26 W
39.24 came to the West side of the Township - passed
over 1st rate bottom. Timber, Ash, Hackberry,
Walnut &c. set stake at the corner of sections
No. 30 & 31 T. 4 R. 2 W. D² - an Elm tree 18 ins.
dia. bears S 57 W 21 chs. dist. & another Elm tree
13 ins. dia. bears N 52 E 39 chs. dist.
Marked & numbered to the plan, a corner
made by Benjamin Chambers stands 9 chains
S 67 E 39 chs. dist.

North From the corner of Sec. No. 29, 30, 31 & 32. thence N.

- 3.60 crossed the creek
8.57 a Sugar tree 10 ins. dia. in the line
11.50 a Water course 12 chs. wide bears S 10 E
42.00 over rich bottom to the foot of a hill
61.00 a Water course 6 chs. wide runs S 30 E
71.45 a Blue Ash tree 16 ins. dia. in the line
80.00 over very rough hilly land. the 1st 1/2 mile of this
line 1st rate land being good bottom, last 1/2 mile
poor 3^d rate land, may be average 2^d rate. Timber
with Oak, Hickory, Ash, Sugar tree, &c, set stake
at the corner of Sec. No. 19, 20, 29 & 30 T. 4. R. 2.
a Black Oak tree 14 ins. dia. bears N 73 E 29 chs.
dist. & another Black Oak tree 13 ins. dia. bears
S 36 E 46 chs. dist. — Marked to the plan

East From the corner of Sec. No. 19, 20, 29 & 30. thence
East on the Random line

- 79.76 came opposite the corner of Sec. No. 19 & 20

T. L. R. D. W. 1st Mer.

28 & 29 & departed 56 lbs. North

East From the corners of Sec. (No. 20, 21, 28 & 29, thence E.
79.52 Came to the corners of Sec. (No. 21, 22, 27 & 28
& departed 52 lbs. South

East From the corners of Sec. (No. 21, 22, 27 & 28
thence East on the Random line
79.40 the distance & departed 8 lbs. South from corner
of Sec. (No. 22, 23, 26 & 27 T. L. R. D. W. Div.

East From corners of Sec. (No. 22, 23, 26, 27, thence E.
79.62 Came opposite the corners of Sec. (No. 23, 24, 25
& 26 & fell 46 lbs. North

East From the corners of Sec. (No. 23, 24, 25 & 26
thence East on the Random line
80.26 Came to the East side of T. L. R. D. W. Div.
& fell 7 lbs. North of corners of sections No.
24 & 25. T. L. R. D. W. Div.

North From the corners of Sec. (No. 24 & 25 thence North
on the E. side of T. L. R. D. W. Div.

14.50 a Hickory tree 10 ins. dia. in line

29.15 a Water course 5 lbs. wide runs N^oW

24.70 a Do Do 8 " " " S^oW

63.00 a Do Do 3 " " " N^oW

74.62 Came to a stake set by Major Chambers

80.00 over a succession of very steep hills. Timbered
with ash, Sugar tree, Walnut &c. rich soil, but
3^d rate land, Set stake at the corner of Sec. (No. 13,
& 24 T. L. R. D. W. Div. a Sugar tree 12 ins. dia.
bears N12W 21 lbs. dist. & a White Walnut
tree 10 ins. dia. bears S46E 13 lbs. dist. Marked
& numbered to the plan. Variation 5.15

D. H. R. D. W. 1st Mer.

West From the corner of Sec. (No. 24 & 25. thence W. to the corner of Sec. (No. 23. 24. 25 & 26. T. 4. R. 2. W. D. 2.
 4.60 a Black Walnut 30 ins. dia. in the line
 26.85 a White Oak tree 16 " " " "
 40.13 came over hilly State land, timbered with Oak, Ash, Sugar tree &c. Set $\frac{1}{2}$ Sec. post, from which an Elm tree 14 ins. dia. bears S 33 W 19 lbs. dist. & a W. Oak tree 15 ins. dia. bears N 36 E 14 lbs. dist. Marked $\frac{1}{2}$ Sec.

West continue West

0.40 a Water course 4 lbs. wide course South
 6.33 a Walnut tree 20 ins. dia. in the line
 35.25 a Blue Ash tree 22 ins. dia. in the line. came over land, composed of hills, not very steep, came to rich bottom
 40.13 over rich bottom. This $\frac{1}{2}$ mile State land, rich soil Timbered with Ash, Walnut, Sugar tree &c. came to the corner of Sec. (No. 23. 24. 25 & 26. T. 4. R. 2. W. D. 2.

North From the corner of Sec. 23. 24. 25 & 26 thence N.

10.53 a White Ash tree 28 ins. dia. in the line
 20.25 a Water course 5 lbs. wide runs N 35 W
 57.30 came to Laughorrie's creek runs N 30 E comes from N 76 W
 52.50 crossed the hill
 62.01 a Hackberry tree 36 ins. dia. in the line
 74.00 over low Sycamore bottom
 80.00 over level land this mile principally bottom Timbered with Ash, Walnut, Hickory &c. may be termed State by reason of the overflowed bottom, which is covered with Willows &c. Set stake at the corner of Sec. (No. 13. 14. 23 & 24. T. 4. R. 2 W. D. 2 from which a Hickory tree 8 ins. dia. bears N 86 W 16 lbs. dist. & another Hickory tree or sapling 5 ins. dia. bears S 86 E 7 lbs. dist. — Marked to the plan

West From the corner of Sec. (No. 23. 24. 25 & 26 thence W.

S. 4. R. 2. W. 1st Mer.

- to the corner of Sec. 22. 23. 26 & 27. T. 4. R. 2 W. 1st Mer.
- 1.50 a Water course 30 lbs. wide, runs N 15 W
- 13.45 a Poplar tree 30 ins. dia. in the line
- 33.85 a Do Do 18 " " " "
- 39.51 Set 1/2 Sec. post, at the intermediate distance a Sugar tree 8 ins. dia. bears N 61 W 5 lbs. dist. & a Poplar tree 18 ins. dia. bears S 65 E 19 lbs. dist. Marked & Sec
- This 1/2 mile 3rd rate hilly land, timbered with Oak, Poplar, Sugar tree &c. rough surface.

West Continue West

- 6.55 a Water course 8 lbs. wide runs N 20 E
- 7.40 an Elm tree 18 ins. dia. in the line
- 34.50 a White Oak tree 20 ins. dia. in the line
- 39.51 came to the corners of Sec. No. 22. 23. 26 & 27. T. 4. R. 2. W. 1st Mer. came over rough hilly 3rd rate land, timbered with Oak, Ash, Sugar tree &c.

- North From the corners of Sec. No. 22. 23. 26 & 27. thence N.
- 23.66 came to the bank of Lougher's creek runs N 43 E
came over rough hilly land.
- 27.50 crossed the creek
- 45.50 came to a Water course 15 lbs. wide runs East
- 46.50 an overflowed bottom
- 47.50 Rose a small bank
- 54.25 a Hackberry tree 18 ins. dia. in the line
- 62.50 over good bottom, to the foot of a hill
- 80.00 Rose a steep hill, set stake at the corner of Sec. No. 14. 15. 22 & 23. T. 4. R. 2. W. 1st Mer. a Hickory tree 14 ins. dia. bears N 48 W 10 lbs. dist. & a W. Oak tree 14 " " " S 22 E 25 lbs. dist. Marked & numbered to the plan. This mile upon an average may be termed 2nd rate land, timbered with Oak, Ash, Hickory, Sugar tree, Walnut &c.

West From the corner of Sec. No. 22. 23. 26 & 27. thence

S. 4. R. 2. W. 1st. Mer.

West to the corners of sections No. 22. 23. 26 & 27
S. 4. R. 2. W. Dis

- 5.50 a Water course 60 lbs. wide runs North
6.90 a White Oak tree 20 ins. dia. in the line
20.60 a Water course 6 lbs. wide runs N 10° E over
hilly land.
39.70 Over level rich land. Timbered with Ash, Sugar-
tree, Walnut &c. Set 1/2 Sec. post a Box Elder
10 ins. dia. bears S 8 W 15 lbs. dist. & another Do.
12 " " " S 48° E 28 lbs. dist. — This half
mile Prute land.

West Continue West,

- 5.80 a Sycamore tree 5 feet dia. in the line
7.00 a Water course 20 lbs wide runs N 40° E
32.00 over rich land, came to the foot of a hill
37.30 a Sugar tree 12 ins. dia. in the line
39.70 came to the corner of Sec. No 21. 22. 27 & 28
S. 4. R. 2. W. — This 1/2 Prute land

North From the corner of Sec. 21. 22. 27 & 28 thence N.

- 7.35 a Sugar tree 12 ins. dia. in the line
15.00 Down a steep hill to Longherrie's creek bottom
good bottom on the South side of the creek
56.00 over Low Sycamore bottom to the foot of a hill
63.20 a Sugar tree in the line
79.50 a White Oak tree 18 ins. dia. in the line
80.50 over an easy hill. This mile Prute land. tim-
bered with Oak, Ash, Sugar tree, Walnut &c
Set stake at the corner of Sec. No. 15. 16. 21 & 22
S. 4 R. 2. W Dis. — a Dogwood tree 10 ins. dia. bears
N 27° W 42 lbs. dist. & a Bluff Ash tree 5 ins. dia
bears S 13° E 24 lbs. dist. — Marked & numbered
to the plan

West From the corner of Sec. No. 21. 22. 27 & 28 thence

S. 4. R. 2. W. 1st Mer

West to the corner of Sec. (No. 20, 21, 28 & 29.
S. 4. R. 2. W. Dis

- 13.68 a White Oak tree 13 ins. dia. in the line
36.00 Descended steep hill a Sugar tree 20 ins. dia. in the
line. came over rough land, to the edge of a bottom
39.76 This 1/2 mile State land, timber ash. Michong
Sugar tree, Walnut &c. Set 1/2 sec. post at the
intermediate distance - a Locust tree 19 ins.
dia. bears N 28 W 31 hrs. dist. & a Black Walnut
tree 12 ins. dia. bears S 37 E 44 hrs. dist.
Marked 1/2 section

West Continue West

- 9.00 a Buckeye tree 12 ins. dia. in the line
20.00 over good bottom came to the branch of Laugh-
-er's creek, at which a Cabin stands in the line
22.60 crossed the creek
30.00 over good bottom to the foot of a hill
30.50 a Water course 6 hrs. wide runs S 70 E
31.85 a Sugar tree 10 ins. dia. in the line
39.76 came to the corner of Sec. (No. 20, 21, 28 & 29
S. 4. R. 2 W. 1st This 1/2 mile State land,
timber with ash. Walnut &c. level surface

North From the corner of Sec. (No. 20, 21, 28 & 29. Thence N.

- 6.76 a Water course 4 hrs. wide runs S 30 E
8.76 a Sugar tree 9 ins. dia. in the line
29.50 a Water course 16 hrs. wide runs N 76 E
52.00 a Do Do 20 " " " S 78 E
68.85 a White Oak tree 16 ins. dia. in the line
80.00 over very rough hilly State land. Timbered with
Oak, ash. Sugar tree, Michong &c. Set stake at
the corner of Sec. No. 16, 17, 20 & 21 S. 4. R. 2 W. Dis
a Sugar tree 13 ins. dia. bears S 57 E 59 hrs. dist. &
a White Oak tree 6 ins. dia. bears S 72 W 21 hrs. dist.
Marked 1/4 —

S. H. R. D. M. 1st Mer.

West From the corners of Sec. No. 20, 21, 28 and 29
thence to the corners of Sec. No. 19, 20, 29 & 30
S. H. R. D. M. Dis

- 6.78 a Hickory tree 13 ins. dia. in the line
18.10 a Water course 6 lbs. wide runs S¹⁵E
26.82 a Hickory tree 14 ins. dia. in the line
39.38 over very rough hilly land, 3rd rate. Timbered with
Oak, Hickory &c. Set $\frac{1}{2}$ sec. post - a Black Oak tree
9 ins. dia. bears S⁷⁸W 13 lbs. dist. & another Black
Oak tree 10 ins. dia. bears S⁶⁵E 29 lbs. dist.
Marked $\frac{1}{2}$ sec.

West Continue West

- 2.10 a Water course 5 lbs. wide runs S¹⁵E
4.78 a Beech tree 14 ins. dia. in the line
26.78 a Hickory tree 15 " " " "
39.88 Came to the corners of Sec. No. 19, 20, 29 & 30,
S. H. R. D. M. Dis came over very rough hilly land,
timbered with Oak, Hickory &c. 3rd rate

West From the corners of Sec. No. 19, 20, 29 & 30 thence W.

- 3.50 a Sugar tree 9 ins. dia. in the line
5.00 a Water course 4 lbs. wide, runs South
14.12 a Do. Do. 4 " " " S¹⁵E
22.30 a Do. Do. 12 " " " South
29.77 a White Oak tree 15 ins. dia. in the line
40.00 over very rough hilly 3rd rate land, poor soil,
Timbered with Oak & Hickory - Set $\frac{1}{2}$ sec. post
a Sugar tree 12 ins. dia. bears S⁶⁷E 5 lbs. dist.
& another Sugar tree 10 ins. dia. bears N⁶W 20 lbs.
dist. Marked $\frac{1}{2}$ section

West Continue West

- 2.30 a White Oak tree, 14 ins. dia. in the line
10.25 a Water course 4 lbs. wide runs S¹⁵E

T. L. R. D. W. 1st Mer.

38.20 a White Oak tree 10 ins. dia. in the line
 38.52 came to the West Boundary of T. L. R. D. W. D.
 Came over from hilly & flat land. Timbered
 with Oak & Hickory. Set stake at the corner
 of Sec. No. 19 & 30. T. L. R. D. a Black Oak
 tree 17 ins. dia. bears S 58 E 43 chs. dist. and a
 White Oak tree 19 ins. dia. bears N 27 W 35 chs. dist.
 Marked & Numbered to the plan. Fell 11 chs. &
 3 chs. North of a stake set by Benj. Chambers

North From the corner of Sec. No. 19. 20. 29 & 30 thence N.
 7.87 a White Oak tree 14 ins. dia. in the line
 67.50 a Watercourse 7 chs. wide runs S 70 E
 73.92 a White Oak tree 15 ins. dia. in the line
 80.00 over rough hilly & flat land. timbered with
 Oak, Hickory &c. much brush. Set stake
 at the corners of Sec. No. 17. 18. 19 & 20. T. L. R. D.
 W. D. a Sugar tree 6 ins. dia. bears N 22 W 15 chs.
 dist. & a Sugar tree 7 " " " S 18 E 19 chs.
 dist. Marked to the plan.

East From the corner of Sec. No. 17. 18. 19 & 20 thence
 East upon the Random line
 80.32 the distance to corner of Sec. No. 16. 17. 20 & 21
 & fell 6 chs. North

East From the corner of Sec. No. 16. 17. 20 & 21. thence East
 80.82 the distance to the corners of Sec. No. 15. 16. 21 &
 22 & fell 42 chs. South

East From the corners of Sec. No. 15. 16. 21 & 22. thence East
 80.24 the distance to the corners of Sec. No. 14. 15. 22 &
 23 & fell 14 chs. North

East From the corner of Sec. No. 14. 15. 22 & 23. thence East
 79.04 the distance to the corner of Sec. No. 13. 14. 23 &

T. 4. R. 2. W. 1st Mer.

24 and departed 45 hrs. North

East From the corners of Sec. No. 13, 14, 23 & 24 thence E.
79.00 came to the East side of T. 4. R. 2 W. Dis &
fell 16 hrs. South of corners of Sec. No. 13 & 24

North From the corners of Sec. No. 13 & 24, thence North
on the East Boundary of T. 4. R. 2. W. Dis
Commence descending steep hill

6.27 a Blue Ash tree 36 ins. dia. in the line

24.50 came to Loughorrie's creek (having come down
a steep hill)

27.50 crossed the creek runs N 40 E

56.62 a Water course 10 hrs. wide runs S 28 E

72.85 came to a corner set by Benjamin Chambers
at corner of Sec. No. 7 & 15. T. 4 R. 2. W. Dis

78.00 came to a Deer lick 1 ch. N. W. of this

80.00 set stakes at the corner of Sec. No. 12 & 13. T. 4.
R. 2. W. Dis came over a rich flat of level land.
Timbered with Oak Hickory, Ash &c. from the corner
stands a Honey Locust tree 18 ins. dia. bears N 54 E
11 hrs. dist. & another Honey Locust tree 16 ins. dia.
bears S 76 W 53 hrs. dist. Marked & numbered to
the plans. Variation 11.50

West From the corners of Sec. No. 13 & 24 thence to the
corners of Sec. No. 13, 14, 23 & 24. T. 4 R. 2 W. Dis

18.35 a Sugar tree 8 ins. dia. in the line

30.00 Down a sideling hill, inclining to the North,
came to bottom land

39.50 on good bottom. This is mile 2^d rate land, timbered
with Oak, Walnut, Sugar tree &c. a Sugar tree 12
ins. dia. stands for the intermediate corner, from
whence a Hackberry tree 12 ins. dia. bears N 20 E
12 hrs. dist. & a Hickory tree 5 ins. " S 80 E 13 hrs
dist. Marked 1/2 section

West Continue West,

- 0.6 a Water course 4 lbs. wide runs N⁷⁰ E
 3.90 a Hickory tree 18 ins. dia. in the line
 24.60 came to Laughlin's creek, passed over good bottom,
 the creek bears N³⁰ W.
 30.95 a Sugar tree 16 ins. dia. in the line
 32.50 over good bottom land, came to the corner of
 Sec. No. 13, 14, 23 & 24 - came over 1st rate land
 timbered with Oak, Ash, Hickory, Sugar tree &c

North From the corners of Sec. No. 13, 14, 23 & 24
 thence North

- 16.50 a Hackberry tree 24 ins. dia. in the line
 24.12 a Water course 6 lbs. wide runs S⁶⁰ E. passed
 over level land, came to the foot of a hill
 80.00 over a succession of rich hills. Timbered with
 Oak, Ash, Sugar tree, Hickory, Walnut &c, hills
 not very steep, may be termed 3rd rate land
 Set stake at the corner of Sec. No. 11, 12, 13 & 14
 G. L. R. D. W. D. is a Hackberry tree 14 ins. dia.
 bears N⁷⁷ E 44 lbs. dist. & a Hickory tree 13 ins.
 dia. bears S⁷⁰ W 26 lbs. dist.
 Marked & numbered to the plan.

West From the corner of Sec. No. 13, 14, 23 & 24, thence
 West to the corner of Sec. No. 14, 15, 22 & 23.

- 7.00 a Water course 5 lbs. wide
 7.48 a Buckeye tree 14 ins. dia. in the line
 12.90 a Water course 6 lbs. wide runs S²⁰ E
 14.00 over level bottom to the foot of a hill
 39.70 over hilly 3rd rate land, timbered with Hickory
 Oak, Ash &c. Set 1/2 sec. post at the intermediate
 distance - a Hickory tree 12 ins. dia. bears
 N³⁵ W 16 lbs. dist. & another Hickory tree 8 ins.
 dia. bears S¹⁹ E 14 lbs. dist. Marked 1/2 sec.

S. L. R. L. W. 1st Mer.

West Continue West.

- 2.85 a Hickory tree 8 ins. dia. in the line
 8.60 a Water course 10 hrs. wide runs S^W
 9.19 a Hickory tree 14 ins. dia. in the line
 28.42 a Blue Ash tree 18 ins. dia. in the line
 39.70 over hilly 3^d rate land, rich soil. Timbered with
 Oak, Ash, Hickory, Sugar tree & came to the
 corners of Sec. No. 14, 15, 22 & 23. S. L. R. L. W. Dis

North From the corners of Sec. No. 14, 15, 22, & 23, S. L. R.
 L. W. Dis thence North

- 1.70 a Blue Ash tree 20 ins. dia. in the line
 12.70 Came to a Water-course 20 hrs. wide, runs S^W
 50.00 a Buckeye tree 15 ins. dia. in the line
 51.00 Came to the last mentioned water course bears
 with the line
 58.00 in the Water course, at this place bears N³⁰E
 70.82 a Blue Ash tree 15 ins. dia. in the line
 74.15 came to the water-course again 15 hrs. wide
 runs S²⁸E
 80.00 Over rough hilly 3^d rate land, timbered with
 Oak, Hickory, Ash, &c. — 2^d Stake at the corner
 of Sec. No. 10, 11, 14 & 15 S. L. R. L. W. Dis —
 an Elm tree 20 ins. dia. bears S⁵¹W 35 hrs. dist.
 & a Sycamore tree 15 ins. dia. bears N¹⁵E 40 hrs.
 dist. — Marked & numbered to the plan

West From the corner of Sec. No. 14, 15, 22 & 23
 thence West to the corner of Sec. No. 15, 16, 21 & 22

- 7.78 a Blue Ash tree 12 ins. dia. in the line
 28.56 came to a stream of water 25 hrs. wide, runs
 S³²E
 38.76 a Hickory sapling 5 ins. dia. in the line
 40.12 Set the Sec. post at the intermediate distance
 a Hickory sapling 5 ins. dia. bears N⁵⁸E 17 hrs.

dist. & another Hickory sapling 6 ins. dia. bears
S 30° W 33 lbs. dist. Marked 1/2 sections. Came over
3rd rate land, timber Oak, Ash, Hickory &c.

West Continue West

- 7.08 a White Oak tree 38 ins. dia. in the line
28.72 a Water course 3 lbs. wide runs N 15° E
35.62 a Sugar tree 14 ins. dia. in the line
40.12 Came to the corners of Sec. No. 15, 16, 21 & 22.
S. L. R. L. W. 2nd Passed over hilly rough land.
Timbered with Hickory Oak &c.

North From the corners of Sec. 15, 16, 21 & 22 thence North

- 12.36 a White Oak tree 30 ins. dia. in the line
33.70 a Water course 12 lbs. wide runs N 5° E
49.80 a Do. Do. 3 " " " East
62.75 a White Oak tree 16 ins. dia. in the line
65.18 a Water course 6 lbs. wide runs S 76° E
72.94 a White Oak tree 17 ins. dia. in the line
80.00 Over rough hilly 3rd rate land, timbered with
Oak, Hickory &c. much underbrush & briars.
Set stake at the corners of Sec. No. 9, 10, 15 & 16
S. L. R. L. W. 2nd - a White Oak tree 10 ins. dia.
bears S 26° E 19 lbs. dist. & another White Oak tree
13 ins. dia. bears N 71° W 38 lbs. dist.
Marked & numbered to the plan

West From the corners of Sec. No. 15, 16, 21 & 22. Thence

- West to the corners of Sec. No. 16, 17, 20 & 21. S. L. R. L.
3.08 a cherry tree 15 ins. dia. in the line
27.65 a Water course 5 lbs. wide runs South
33.70 a White Oak tree 16 ins. dia. in the line
40.01 Set 1/2 Sec. point at the intermediate distance
a Hickory tree 14 ins. dia. bears N 20° W 9 lbs.
dist. & another Hickory tree 14 ins. dia. bears
S 25° E 12 lbs. dist. Marked 1/2 Sec. - This 1/2 mile

J. L. R. D. W. 1st Mer.

from hilly 3rd rate land. Timbered with Oak
Hickory &c. much brush

West Continue West-

- 9.08 a Hickory tree 15 ins. dia. in the line
25.00 a Water course 5 lbs. wide runs S 22 E
35.00 a Hickory tree 18 ins. dia. in the line
40.01 came to the corner of Sec. No. 16, 17, 20 & 21
J. L. R. D. W. 1st Mer. This 1/2 mile hilly 3rd rate
land. Timber Oak & Hickory

North From the corner of Sec. No. 16, 17, 20 and 21
thence North

- 6.75 a White Oak tree 15 ins. dia. in the line
34.18 a Black Oak tree 26 " " " "
49.10 a Water course 4 lbs. wide runs North
58.50 a Do Do 8 " " " East
69.00 a Black Oak tree 16 ins. dia. in the line
77.00 a Water course 3 lbs. wide runs S 80 E
80.00 over land of an easy changing surface 2nd rate
Timbered with Oak, Hickory &c. Set stake at
the corners of Sec. No. 8, 9, 16 & 17. J. L. R. D. W. 1st Mer.
a Sugar tree 13 ins. dia. bears S 44 E 14 lbs. dist.
& a Hickory tree 14 ins. dia. bears N 71 W 4 lbs.
dist - Marked & numbered to the place.

West From the corners of Sec. No. 16, 17, 20 & 21. Thence
West to the corners of Sec. No. 17, 18, 19 & 20.

- 6.82 a Hickory tree 13 ins. dia. in the line
14.20 a Water course 5 lbs. wide runs S 72 W.
23.00 a Do Do 3 " " " South
28.38 a Hickory tree 15 ins. dia. in the line
40.16 over very rough, hilly 3rd rate land, Timbered
with Oak, Hickory & Sugar tree - Set 7c sec. post
a Sugar tree 14 ins. dia. bears N 65 E 15 lbs. dist
& another Sugar tree 6 ins. dia. bears S 60 E 25

Chs. dist. Marked 1/2 section

West Continue West

- 1.00 a Water course 12 Chs. wide runs S 56 E
 5.90 an Elm tree 9 ins. dia. in the line
 16.20 an Ash tree 12 " " " "
 22.13 a Water course 3 Chs. wide runs S 72 E
 40.16 over very hilly 2^d rate land, Timbered with
 Oak, Ash, Hickory & Sugar tree, came to the
 corners of Sec. No. 17, 18, 19 & 20 T. 4 R. 2 W. Dis.

West From the corners of Sec. No. 17, 18, 19 & 20 Thence N.

- 5.36 a White Oak tree 16 ins. dia. in the line
 22.00 a Water course 6 Chs. wide runs N 56 E
 33.56 a White Oak tree 14 ins. dia. in the line
 40.00 over 2^d rate land, gradually rising & falling,
 timbered with Oak, Hickory &c. Set 1/2 sec. post
 a White Oak tree 15 ins. dia. bears S 53 W 24 Chs. dist.
 & a Beech tree 6 ins. dia. bears N 45 E 14 Chs. dist.
 Marked half sec.

West Continue West

- 4.50 a Black Oak tree 20 ins. dia. in the line
 37.15 a Do Do " 20 " " " "
 37.77 came to the West Boundary of T. 4. R. 2. W. Dis.
 Passed over level 2^d rate land, Timbered with
 Oak, Hickory Gum &c. - Set stake at the corner
 of Sec. No. 18 & 19 T. 4. R. 2 W. Dis. a Gum tree
 15 ins. dia. bears N 64 E 59 Chs. dist. & another Gum
 tree 14 ins. dia. bears S. W. 11 Chs. dist.
 Marked & numbered to the plan - Tell 12 Chs.
 22 Chs. South of a corner made by Benj. Khamileers

North From the Cor. of Sec. No. 17, 18, 19 & 20. thence N.

- 7.72 a White Oak tree 36 ins. dia. in the line
 41.00 a Water course 12 Chs. wide, runs S 72 E

T. 4. R. 2. W. 1. Mer.

46.00 a Black Oak tree 19 ins. dia. in the line
 75.12 a White Oak tree 20 " " " "
 80.00 over thin rough 3^d rate land, timbered with
 Oak, Hickory, Sugar tree &c. set stake at the
 corner of Sec. (No. 7. 8. 17 & 18. T. 4. R. 2 W. 1st)
 a White Oak tree 22 ins. dia. bears S 42 W 38 lbs.
 dist. & a Hickory tree 14 " " " N 41 E 48 lbs.
 dist. — Marked & numbered to the plan

East From the corner of Sec. (No. 7. 8. 17 & 18. Thence
 East upon the Random line
 79.46 the distance to the corners of Sec. (No. 8. 9. 16 & 17
 & fell 6 lbs. South

East From the corner of Sec. (No. 8. 9. 16 & 17. thence East
 79.74 the distance to the corners of Sec. (No. 9. 10. 15 & 16
 & fell 33 lbs. North

East from the corners of Sec. (No. 9. 10. 15. & 16. thence East
 80.26 the distance to the corners of Sec. (No. 10. 11. 14 &
 15 & fell 23 lbs. North

East From the corners of Sec. (No. 10. 11. 14 & 15. thence E—
 79.22 the distance to the corner of Sec. (No. 11. 12. 13 & 14
 & fell 19 lbs. North

East From the corners of Sec. 11. 12. 13 & 14 thence East
 79.47 Came to the East boundary of T. 4 R. 2 W. 1st
 & fell 15 lbs. South of corners of Sec. (No. 12 & 13.

North From the corners of Sec. (No. 12 & 13. T. 4. R. 2 W.
 1st thence North on the East Boundary of
 said Township

14.23 came to a water course 15 lbs. wide runs S 36
 17.50 in the water course at this place comes from
 N 56 E came over level land.

S. L. R. L. W. 1st Mer.

- 23.70 a Buckeye tree 12 ins. dia. in the line
 31.00 a Water course 5 lks. wide runs S 32° W
 49.00 a Hickory tree 10 ins. dia. in the line
 50.28 a Water course 5 lks. wide runs S 15° W. this
 water course bears not far from the line
 66.00 came to the last mentioned course runs S 10° E
 73.00 came to a corner made by Benj. Chambers
 80.00 Over land of a changing surface, not steep,
 rich soil, 2^d rate land, timbered with Ash,
 Sugar tree Walnut Oak &c - Set stake at
 the corner of Sec. No. 1 & 12. S. L. R. L. W. Dis
 a Honey Locust tree 28 ins. dia. bears N 31° E
 21 lks. dist. & a Blue Ash tree 9 ins. dia. bears
 S 118° W 13 lks. dist. Marked and numbered
 to the plan

West From the corner of Sec. (No. 12 & 13 thence West
 to the corners of Sec. (No. 11. 12. 13 and 14. S. L.
 R. L. W. Dis

- 17.60 a Blue Ash tree 12 ins. dia. in the line
 33.58 a Passapas tree 8 " " " " "
 32.35 a Water course 3 lks. wide runs South
 39.73 Over land rising & falling in small ridges, tim-
 bered with Oak, Ash, Sugar tree, Hickory &c - 2^d rate.
 Set 2 sec. post at the intermediate distance,
 an Elm tree 12 ins. dia. bears S 53° E 6 lks. dist.
 & a Hickory tree 14 ins. dia. bears N 44° W 7 lks.
 dist. Marked half sections

West Continue West

- 16.75 a White Ash tree 18 ins. dia. in the line
 31.53 a Buckeye tree 12 " " " " "
 38.76 a Water course 3 lks. wide runs S 48° E
 39.73 came to the corners of Sec. (No. 11. 12. 13 & 14
 S. L. R. L. W. Dis This is mile hilly rough
 3^d rate land, rich soil, Timbered with Walnut,

J. 4. R. 2. W. 1st Mer.

ash, Sugar tree &c.

North From the corners of Sec. (No. 11, 12, 13 & 14
thence North

- 0.80 a Water course 3 lks. wide runs S 47° E
6.92 an Elm tree 12 ins. dia. in the line
69.32 a Walnut tree 16 " " " "
78.50 a Water course 5 lks. wide runs N 66° W
80.00 over a rich flat of level 1st rate land timbered with
ash, Sugar tree, Walnut, Hickory &c. Set stakes at
the corners of Sec. No. 1, 2, 11 & 12. J. 4. R. 2. W. Dip
a Black Walnut tree 16 ins. dia. bears S 46° W 26 lks.
dist. & a Honey Locust tree 7 ins. dia. bears N 44° E 33 lks.
dist. Marked & Numbered to the plan

West From the corner of Sec. No. 11, 12, 13 & 14 Thence West
to the corners of Sec. No. 10, 11, 14 & 15

- 11.92 a Hickory tree 14 ins. dia. in the line
39.61 over rich 1st rate, conveniently level Timbered
thinly with ash, Walnut, Sugar tree, Hackberry
&c. Set 1/2 sec. post at the intermediate distances
a Hackberry tree 18 ins. dia. bears S 19° E 37 lks. dist.
& an Elm tree 18 ins. dia. bears N 21° W 33 lks. dist.
Marked 1/2 sec.

West Continue West

- 3.08 a small water course runs S 70° E
6.25 a Hickory tree 13 ins. dia. in the line
31.28 a White Ash tree 18 ins. dia. in the line
39.61 came to the corner of Sec. No. 10, 11, 14 and 15
J. 4. R. 2. W. Dip Passed over 2nd rate land grad-
ually rising & falling in easy ridges. Timbered
thinly with ash, Sugar tree &c.

North From the corner of Sec. No. 10, 11, 14 and 15
thence North

T. L. R. D. W. 1st Mer.

- 0.20 a Water course 15 lks. wide runs S⁴⁰W
 5.00 a Do. Do 6 " " " S¹⁰E
 17.95 a White Oak tree 14 ins. dia. in the line
 32.58 a Water course 5 lks. wide runs S⁷⁰E
 60.25 a Do. Do 6 " " " S⁵⁰E
 67.75 a White Oak 30 ins. dia. in the line
 80.00 over land conveniently laid 2^d rate. Timbered
 with Oak, Ash, Sugar tree &c. much Spice bush
 & briars, Set stakes at the corners of Sec. No. 2.
 3.10 & 11. Y. 4 R. 2. W. 9th - a White Oak tree
 30 ins. dia. bears S⁶⁰W 8 lks. dist. Another White
 Oak tree 38 ins. dia. bears N⁵⁰E 73 lks. dist.
 Marked & Numbered to the plan

- West From the corners of Sec. (No. 10. 11. 14 & 15 thence
 West to the corners of Sec. 9. 10. 15 & 16. T. 4. R. 2 W. 9th
 3.50 a Water course 4 lks. wide runs S²⁰E
 17.46 a Hackberry tree 18 ins. dia. in the line
 27.62 a Water course 4 lks. wide runs South
 36.92 a White Oak tree 18 ins. dia. in the line
 40.13 over hilly broken 3^d rate land. Timbered with
 Oak, Hickory, Ash &c. Set 7 sec. post in a water
 course 7 lks. wide, runs S²⁰W, from whence a
 Sugar tree 15 ins. dia. bears S⁴⁰W 6 lks. dist. &
 another Sugar tree 14 ins. dia. bears N²⁵E 56
 lks. dist. Marked 7 sec.

- West Continue West
 6.87 a Honey Locust tree 17 ins. dia. in the line
 13.65 a Water course 4 lks. wide runs S¹⁰E
 21.15 a Do Do 4 " " " S¹⁵E
 25.85 a White Oak tree 18 ins. dia. in the line
 40.13 over broken points of hills, thinly timbered
 with Oak, & Hickory 3^d rate land, came to the cor.
 of Sec. No. 9. 10. 15 & 16. T. 4. R. 2. W. 9th

S. L. R. I. W. 1st Mer.

North From the corner of Sec. No. 9, 10, 15 & 16. Thence North
 18.60 a White Oak tree 28 ins. dia. in the line
 40.35 a Water course 4 lks. wide runs N 54 E
 49.50 a Do Do 12 " " " N 70 E
 62.00 a White Oak tree 15 ins. in the line
 80.00 over level 2nd rate land. Timbered with Oak & Hickory.
 Set stake at the corner of Sec. No. 3, 4, 9, 10, 14, R. 2.
 W. 2nd a Hickory tree 13 ins. dia. bears S 29 W 36 lks. dist.
 a Dogwood bush 6 ins. dia. bears N 41 E 42 lks. dist.
 Marked & numbered to the plan

West From the corners of Sec. No. 9, 10, 15 & 16 thence West
 to the corners of Sec. No. 8, 9, 16 & 17 T. 4 R. 2. W. 2nd
 8.00 a Water course 5 lks. wide runs S 70 E
 13.10 a White Oak tree 10 ins. dia. in the line
 21.60 a Black Oak tree 18 " " " " "
 24.55 a Water course 3 lks. wide, runs South
 30.00 a White Oak tree 24 ins. dia. in the line
 39.97 over land of an easy changing thin soil, 3rd rate land,
 timbered with Oak & Hickory. Set 7th sec. post at the
 intermediate distance at sugar tree 6 ins. dia. bears
 S 39 E 18 lks. dist. & a White Oak tree 16 " " "
 N 60 W 32 lks. dist. Marked 7th sections

West Continue West
 10.70 a Water course 8 lks. wide runs S 8 E
 23.15 a Hickory tree 12 ins. dia. in the line
 28.00 a Water course 15 lks. wide runs S 52 E
 36.24 a Black Oak tree 15 ins. dia. in the line
 37.66 a Water course 4 lks. wide runs N 70 E
 39.97 came to the corners of Sec. No. 8, 9, 16 & 17. T. 4 R.
 2nd W. 2nd passed over hilly broken 3rd rate land. Timbered
 with Oak, Hickory, sugar tree &c.

North From the corner of Sec. No. 8, 9, 16 & 17 thence North
 6.00 a Water course 15 lks. wide runs S 60 E

S. 4. R. 2. W. 1st Mer.

- 16.82 a Hickory tree 12 ins. dia. in the line
 37.50 a White Oak tree 28 ins. dia. in the line
 39.68 a Hickory tree 15 ins. dia. in the line
 70.68 a Water course 3 lks. wide runs N 22 E
 80.00 over-land of an easy changing surface conveniently
 level 2^d rate. Timbered with Oak, Ash, Hickory Sugar tree &c
 Set stake at the corner of Sec. 1. No. 4, 5, 8 & 9. S. 4. R. 2. W.
 1st Mer. a Blue ash tree 17 ins. dia. bears S 49 E 19 lks. dist.
 & a Sugar tree 14 ins. dia. bears S 28 W 33 lks. dist.
 Marked & numbered to the plan

West From the corners of Sec. 1. (No. 8, 9, 16 & 17. thence West
 to the corners of Sec. 1. (No. 7, 8, 17 & 18. S. 4. R. 2. W. 1st Mer.

- 4.00 a White Oak tree 18 ins. dia. in the line
 13.50 a Water course 3 lks. wide runs S 58 E
 29.00 a Do. Do. 4 " " " N 70 E
 38.58 a White Oak tree 20 ins. dia. in the line
 39.73 Set 1/2 sec. post, at the intermediate distances - a Lignu
 tree 9 ins. dia. bears S 79 E 5 lks. dist. & a White Oak tree
 15 ins. dia. bears N 61 E 14 lks. dist - Marked 1/2 sec.
 This mile 2^d rate land conveniently level - Timbered
 with Oak, Hickory &c.

West Continue West

- 2.50 a White Oak tree 50 ins. dia. in the line
 19.15 a Water course 8 lks. wide runs S 78 E
 31.15 a Black Oak tree 18 ins. dia. in the line
 39.73 Came to the corners of Sec. 1. (No. 7, 8, 17 & 18. S. 4. R. 2.
 1st Mer. This 1/2 mile conveniently level. Timbered
 with Oak, Hickory &c. 2^d rate land.

West From the corners of Sec. 1. (No. 7, 8, 17 & 18. thence West

- 5.77 a White Oak tree 16 ins. dia. in the line
 35.08 a White Oak tree 28 " " " "
 40.00 over a level flat of land, well timbered with W. Oak
 may be termed 2^d rate. Set 1/2 sec. post. a White Oak

J. L. R. D. W. 1st Mer.

tree 18 ins. dia. bears N 3 W 26 lbs. dist. & a Gum
tree 12 " " " S 61 E 34 lbs. distant
Marked half feet.

West Continue West

- 7.10 a White Oak tree 28 ins. dia. in the line
29.20 a Do. Do. tree 15 " " " "
31.18 a Water course 5 lbs. wide runs N 18 E
37.20 Came to the West Boundary of J. L. R. D. W. 1st Mer.
This 7 mile 2nd rate land well timbered with Oak
set stake at the corners of Sec. (No. 7 & 18. T. 4.
R. 2. W. 1st Mer. a Sugar tree 12 ins. dia. bears
N 22 W 68 lbs. dist. & a Black Oak tree 18 ins.
dia. bears S 43 E 21 lbs. dist. Marked & numbered
to the plan, fell 12.80 North of the corner made
by Benjamin Chambers.

North From the corners of Sec. (No. 7, 8, 17 & 18. T. 4. R. 2 W. 1st Mer.) thence North

- 14.82 a Black Oak tree 26 ins. dia. in the line
20.00 over level land, begin to descend a hill
32.25 a Water course 4 lbs. wide runs N 70 E
60.00 a Stream of water, the main branch of Hoguelan's
creek 90 lbs. wide, runs N 60 E
61.00 a Sycamore tree 30 ins. dia. in the line
66.50 a Water course 30 lbs. wide runs S 20 E - came
over small bottom
80.00 over very rough (hilly 3rd rate) land, Timbered
with Oak & Hickory, thin soil, set stake at the
corner of Sec. (No. 5, 6, 7 & 8. T. 4. R. 2. W. 1st Mer.)
a Hickory tree 9 ins. dia. bears N 51 E 45 lbs. dist.
& a White Oak tree 12 ins. dia. bears S 25 E 25 lbs.
dist. Marked & numbered to the plan

East From the corners of Sec. (No. 5, 6, 7 & 8. T. 4. R. 2 thence East upon the Random line

79.34 is the distance to the corner of Sec. (No. 4. 5. 8 & 9
& fell 38 lrs. North of said corner

East From the corner of Sec. (No. 4. 5. 8 & 9. thence East
80.20 is the distance to the corner of Sec. (No. 3. 4 & 9
.10. & fell 12 lrs. North

East From the corners of Sec. 3. 4. 9 & 10. thence East
79.58 is the distance to the corners of Sec. (No. 2. 3. 10 &
11 & fell 18 lrs. South

East From the corners of Sec. 2. 3. 10 & 11. Thence East
79.08 is the distance to the corners of Sec. (No. 1. 2. 11
& 12) & fell 19 lrs. North

East From the corners of Sec. (No. 1. 2. 11 & 12. thence E.
79.38 came to the East side of T. L. R. D. W. D.
& fell 37 lrs. North from the corners of Sec. (No.
1 & 12. T. L. R. D. W. D.)

North From the corner of Sec. (No. 12 & 1. T. L. R. D. W. D.)
thence North on the East side of T. L. R. D.
7.30 a Blue Ash tree 13 ins. dia. in the line
60.00 on the top of a ridge
64.70 a Walnut tree 15 ins. dia. in the line
71.00 came to the North East corner of T. L. R. D. W. D.
this line 1st rate land. Limbered with Ash, Sugar
-trees Walnut &c. a Blue Ash tree 6 ins. dia. bears
N 16 W 23 lrs. dist. & another Ash tree 14 " " "
N 13 E 21 lrs. dist. — Marked to the plan
This corner made by Benjamin Chambers

West From the corners of Sec. (No. 1 & 12. thence North to
the corners of Sec. (No. 1. 2. 11 & 12. T. L. R. D. W. D.)
1.75 a Water course 3 lrs. wide runs S 10 E
2.00 rising a hill

T. 4. R. 2. W. 1. Mer.

- 11.75 a Blue Ash tree 12 ins. dia. in the line
 22.23 a Hickory tree 14 " " " "
 39.69 Set $\frac{1}{2}$ sec. post at the intermediate distance
 a Sugar tree 12 ins. dia. bears N 20 E 5 lbs. dist
 & a Hickory tree 12 ins. dia. bears S 19 W 8 lbs. dist.
 Marked $\frac{1}{2}$ sec. This $\frac{1}{2}$ sec. 2^d rate land, somewhat
 cut by small hollows & rises, rich soil, timber
 Ash, Sugar tree, Hickory &c

West Continue West

- 3.34 a Sugar tree 13 ins. dia. in the line
 4.90 a Water course 3 lbs. wide, runs North
 27.23 a Sugar tree 16 ins. dia. in the line
 39.69 Over land rising & falling, in small hills 3^d rate
 Timbered with Oak, Ash, Sugar tree &c. - Came
 to the corners of Sec. No. 1. 2. 11 & 12

North From the corner of Sec. No. 1. 2. 11 & 12 thence N.
commence rising a hill

- 5.84 a White Oak tree 20 ins. dia. in the line
 18.80 a Water course 8 lbs. wide, runs N 20 E
 39.79 a Sugar tree 14 ins. dia. in the line
 61.95 a Do Do 16 " " " "
 65.00 on the top of a ridge
 70.42 Came to the North Boundary of T. 4. R. 2. W.
 2^d - a Buckeye tree 15 ins. dia. bears N 25 W
 46 lbs. dist. & another Buckeye tree 10 ins. dia. bears
 S 34 E 29 lbs. dist. Marked & numbered to the
 plan. - This mile over rich level land, upon
 the top of a ridge timbered with Oak, Ash,
 Sugar tree &c. 2^d rate

West From the corners of Sec. (No. 1. 2. 11. & 12. thence
W. to the corners of Sec. 2. 3. 10 & 11. T. 4. R. 2. W. 2^d

- 4.25 a Water course 8 lbs. wide runs N 40 W
 11.15 a Do Do 4 " " " N 10 E

T. L. R. 2. W. 1st Mer.

- 20.34 a Sugar tree 10 ins. dia. in the line
 25.18 a Blue Ash tree 16 ins. dia. in the line
 35.00 a Water course 5 Mts. wide runs N 18° W
 39.54 over-hilly 3rd rate land but rich soil, timbered
 with Oak, Hickory, Walnut, Ash &c. a Walnut
 tree 16 ins. dia. stands for 1/4 sec. corner
 Marked 1/4 sections
-

West Continue West

- 5.04 a Hickory tree 12 ins. dia. in the line
 6.25 a Water course 3 Mts. wide runs N 20° E
 36.16 a White Ash tree 14 ins. dia. in the line
 39.54 came over 2nd rate land, of an easy changing
 surface. Timbered with Oak, Ash, Hickory, Sugar
 tree &c. came to the corners of Sec. (No. 2, 3, 10 &
 11. T. L. R. 2. W. Div
-

North From the corners of Sec. 2, 3, 10 & 11. thence N.

- 17.25 a Blue Ash tree 12 ins. dia. in the line
 34.22 a White Ash tree 24 " " " "
 50.00 over-level land, begin to descend a hill, not steep
 62.18 a Blue Ash tree 18 ins. dia. in the line
 63.00 Descended an easy descent to a Water course 6 Mts.
 wide, runs East
 63.20 rising a hill
 69.92 came to North Boundary of T. L. R. 2. W. Div
 set stakes at the corners of Sec. (No. 2 & 3. T. L. R.
 2. W. Div a White Oak tree 15 ins. dia. bears
 North 4 Mts. dist. & a Hackberry tree 18 ins. dia.
 bears S 15° W 50 Mts. dist. - Marked & numbered
 to the plan. This mile passes over 2nd rate land,
 timbered with Oak, Ash, Sugar tree &c.
-

West From the corners of Sec. (No 2, 3, 10 & 11. T. L. R. 2.
 thence to the corners of Sec. (No. 3, 4, 9 & 10

- 4.28 a White Oak tree 17 ins. dia. in the line

T. L. R. Q. W. 1st Mer.

- 37.35 a White Oak tree 18 ins. dia. in the line
 39.79 Over 2^d rate land of an easy, changing surface
 thinly timbered with Oak, Hickory, Sugar tree
 ash &c. much spice brush & undergrowth,
 Set 1/2 sec. post at the intermediate distance
 a Hickory tree 16 ins. dia. bears S36 E16 1/2 m. dist.
 & a Locust tree 6 " " " N19 E15 " "
 Marked 1/2 sections.
-

West Continue West

Commence descending a hill

- 5.50 a Water course 15 m. wide runs N40 W
 27.02 a White Oak tree 12 ins. dia. in the line
 31.12 a Do Do " 20 " " " "
 35.15 a Water course 3 m. wide runs N75 E
 39.79 Came to the corner of Sec. No. 3, 4, 9 & 10 T. L. R. 2.
 W. 2^d. This 1/2 mile 3^d rate. hilly land. Timbered
 with Oak, Hickory, Sugar tree &c
-

North From the corner of Sec. No. 3, 4, 9 & 10. thence North

- 5.50 a White Oak tree 20 ins. dia. in the line
 12.50 a Water course 8 m. wide runs East
 25.00 a Do Do 4 " " " S86 E
 50.25 a Do Do 5 " " " N19 W
 56.90 a Sour Gum tree 14 ins. dia. in the line
 60.50 a Water course 6 m. wide runs N30 E
 68.75 Came to the North Boundary of T. L. R. 2. W. 2^d.
 Passed over very hilly 3^d rate land. timbered with
 Oak, Ash, Sugar tree, Walnut &c. Set stakes at
 the corners of Sec. No. 3 & 4. T. L. R. 2. W. 2^d.
 a Locust tree 5 ins. dia. bears N78 E11 m. dist.
 & a Black Walnut tree 20 ins. dia. bears S45 W
 25 m. dist. Marked &c. Moughlan's creek
 appears to be 6 chains North of this
-

West From the corner of Sec. No. 3, 4, 9 & 10 thence W.

T. 4. R. 2. W. 1st Mer.

- to the corners of Sec. (Nos. 4, 5, 8 & 9. T. 4. R. 2. W.
- 4.50 a small water course 3 lbs. wide, runs North
- 19.00 a Water course 4 lbs. wide runs N 46 E
- 20.82 an Elm tree 10 ins. dia. in the line
- 34.28 a Hickory tree 20 ins. dia. in the line
- 40.10 Over rough broken land, timbered with Oak
 Ash, Hickory, Sugar tree, & 3rd rate land,
 much brush & undergrowth, set 1/2 sec. post
 at the intermediate distances - a Mulberry
 tree 5 ins. dia. bears N 23 W 7 lbs. dist. & a Sugar
 tree 12 ins. dia. bears S 76 29 lbs. dist
- Marked 1/2 section

West Continue West

- 5.00 a Blue Ash tree 15 ins. dia. in the line
- 21.00 a Water course 4 lbs. wide runs N 16 E
- 38.12 a Do. Do. 5 " " " N 22 E
- 40.10 Came to the corners of Sec. (Nos. 4, 5, 8 & 9 -
 T. 4 R. 2. W. Dis passed over land rising and
 falling in hills of an easy ascent. 2nd rate
 timbered with Ash Sugar tree & c. much Spruce
 brush.

North From the corners of Sec. (Nos. 4, 5, 8 & 9 thence N.

- 2.58 a Hickory tree 28 ins. dia. in the line
- 25.00 on the top of a ridge
- 33.30 a Blue Ash 12 ins. dia. in the line, descending
 towards Houghlan's creek
- 42.00 descended steep hill, came to Houghlan's creek
 1 ch. & 80 lbs. wide, runs N 70 E
- 44.00 Begin to ascend steep hill
- 58.89 a White Ash tree 24 ins. dia
- 69.44 Came to the North Boundary of T. 4. R. 2 W
 Dis passed over very hilly, rough, 3rd rate land.
 Timbered with Oak, Hickory, Ash, Sugar tree &
 set stakes at the corners of Sec. (Nos. 4 and 5

M. L. R. Q. W. T. Sec.

M. L. R. Q. W. T. Sec. & a sugar tree 10 ins. dia.
 bears 163 E 24 hrs. dist. & another sugar tree
 9 ins. dia. bears 161 W 31 hrs. dist.

Marked & numbered to the plan

West From the corners of Sec. (No. 4.5.8 & 9. thence

West to the corner of Sec. (No. 5.6.7 & 8.

4.00 a sugar tree 10 ins. dia. in the line

7.85 a Water course 3 hrs. wide runs N 50 E

24.00 a Do Do 5 " " " North

29.05 a White Oak tree 30 ins. dia. in the line

32.50 a Water course 3 hrs. wide runs N 18 W

39.67 1/2 Sec. past at the intermediate distance
 a White Oak tree 12 ins. dia. bears N 40 W 20 hrs.
 dist & a Black Oak tree 15 ins. dia. bears N 40 E
 26 hrs. dist. Marked 1/2 Sec. Came over rough
 broken 3rd rate land, timbered with Oak, Ash
 Hickory, sugar tree &c.

West continues West

Commence ascending steep hill

3.20 a White Walnut tree 14 ins. dia. in the line

9.13 descending steep hill to Haughlan's creek
 1 ch. & 50 hrs. wide, runs N 30 E

15.00 Begin to rise a steep hill

25.00 Rise a steep hill

37.60 a Sugar tree 8 ins. dia. in the line

39.67 Came to the corner of Sec. (No. 5.6.7 & 8. 9.4.

R. Q. W. Sec. - passed over very hilly 3rd rate
 land, thin soil, timber Oak & Hickory

West From the corners of Sec. (No. 5.6.7 & 8. thence W.

Commence descending steep hill

1.50 down the hill to a water course 20 hrs. wide
 runs N 15 E

9.50 a Water course 13 hrs. wide runs N 30 E

T. 4. R. 2. W. 1st Mer

- 9.90 a Sycamore tree 14 ins. dia. in the line
 12.00 in the Water course here it comes from N 30° W
 begin to rise steep hill
 35.00 a White Oak tree 18 ins. dia. in the line
 40.00 over very rough hilly land, somewhat stony,
 thin soil. Timbered with Oak, Hickory, Sugar tree
 &c. Set stake at 1/2 sec. part. a Sugar tree 7 ins. dia.
 bears S 26° W 42 lbs. dist & a Sycamore tree 14 ins.
 dia. bears N 53° E 38 lbs. dist - Marked 1/2 sec.

West Continue West

- 7.56 a Black Oak tree 14 ins. dia. in the line
 34.50 Down a steep hill to a creek 1 chain & 40 lbs. wide
 runs S 20° E
 36.50 Came to the West Boundary of Township
 4. R. 2. W. 1st Mer - came over rough, hilly, 3rd rate
 land, thin soil. Timbered with Oak, Hickory.
 Set stake at the corner of Sec. (No. 6 & 7. T. 4. R. 2.
 a Sugar tree 3 ins. dia. bears N 57° W 9 lbs. dist
 & a Sycamore 15 " " " S 42° E 12 " "
 Marked 1/2 sec. fell 12 chs. & 36 lbs. North of a
 corner made by Benjamin Chambers.

North From the corners of Sec. (No. 5, 6, 7 & 8. thence North

- 7.32 a Hickory tree 9 ins. dia. in the line - rose a
 steep hill
 43.50 a Water course 5 lbs. wide, runs S 42° E
 56.90 a White Oak tree 15 ins. dia. in the line
 67.50 Came to the North Boundary of T. 4. R. 2. W. 1st Mer
 This mile very rough & broken, thin poor 3rd rate
 land. Timbered with Oak & Hickory. Set stake
 at the corner of Sec. (No. 5 & 6. T. 4. R. 2. W. 1st Mer
 a White Oak tree 22 ins. dia. bears N 77° E 37 lbs. dist
 & another White Oak tree 15 ins. dia. bears S 71° W
 45 lbs. dist - Marked & numbered to the plan

T. 4. R. 2. W. 1st Sec.

West From the corner of Sec. No. 546. T. 4. R. 2. W.
 Thence West on the North Boundary of said Town
 & ship to the North west corner of the same
 6.00 a Black Oak tree 22 ins. dia. in the line
 25.68 a White Oak tree 14 ins. dia. in the line, begins
 to descend a hill
 31.50 a small water course 4 lbs. wide runs S^W
 34.50 a Water course 7 lbs. wide runs South
 40.00 Let to Sec. post a White Oak tree 18 ins. dia. bears
 N^E 33 lbs. dist. & another White Oak tree 18 ins. dia.
 bears N^E 15 lbs. dist. - Marked to Sec. the first
 of this 1/2 mile level, the remainder rough & hilly
 may be termed 3rd rate land. Timber Oak & Hickory

West Continue West

3.22 a Hickory tree 17 ins. dia. in the line
 16.65 a Water course 3 lbs. wide runs S^W
 28.00 a Do. Do. 16 " " " S^W
 35.25 Came to the North West corner of T. 4. R. 2. W. 2nd Sec.
 from whence a White Oak tree 24 ins. dia. bears
 N. W. 33 lbs. dist. & another White Oak tree 10
 ins. dia. bears S. W. 25 lbs. dist. Marked and
 numbered by Genl. Chambers - This 1/2 mile
 rough & hilly 3rd rate land, thin soil - Timber
 Oak, Hickory &c.

East From the corner of Sec. No. 546 the East on the
 North Boundary of T. 4. R. 2. W. 1st Sec.

79.52 Came to the corner of Sec. No. 445

East From the corner of Sec. No. 445 thence East
 79.98 Came to corner of Sec. No. 344

79.34 Came to the corner of Sec. No. 243. T. 4. R. W.

East From the corner of Sec. No. 243. Thence East

T. 4. R. 2. W. 1st Mer.

19.38 Came to the corners of Sect. No. 142

East From the Corner of Sect. No. 142. T. 4. R. 2. W. thence East

19.54 Came to the North East corner of T. 4. R. 2. W. D^{ist}

West From the North East corner of T. 4. R. 2. W. D^{ist} thence West—commenced on descending ground

11.52 Down a Hill

12.50 Came to Houghlan's creek runs N 20 E

14.00 Crossed the creek

25.70 an overflowed bottom—came to the creek again

27.24 Crossed the creek runs S 80 E

29.34 a Hickory tree 12 ins. dia. in the line

29.52 Set 1/2 sec. post—a Sugar tree 4 ins. dia. bears S 12 W 10 lbs. dist & a cherry tree 5 ins. dia. bears N 9 E 25 lbs. dist. Marked 1/2 sec. this 1/2 mile may be termed 2^d rate, rich soil. but the land near the creek is overflowed, in high time of water from the Ohio.

West Continue West

20.40 a Water course 6 lbs. wide runs N 20 E

34.38 a Buckeye tree 9 ins. dia. in the line with a notch on the East & West side, which I suppose to be the corner of Sect. Nos. 35 & 36 T. 5. R. 2 W D^{ist}, as made by Benjamin Chambers

37.37 a Hackberry tree 16 ins. dia. in the line

39.52 Came to the corners of Sect. No. 142. T. 4. R. 2. W. D^{ist} This 1/2 mile conveniently level. Timber with Oak, Hickory & some Ash. much Spice brush. 2^d rate land.

West From the Corners of Sect. No. 142 thence West.

10.26 a White Ash tree 20 ins. dia. in the line, descended a hill

J. 4. R. 2. W. 1st Mer.

- 12.20 a Water course 7 lks. wide runs N 30 E
 31.19 an Elm tree 30 ins. dia. in the line
 32.64 a Water course 10 lks. wide, runs N 40 E
 39.16 a Honey Locust 20 ins. dia. in the line
 39.69 1st & 2^d sec. part at the intermediate distance
 The 1st part of this 1/2 mile, somewhat hilly,
 but not steep, 10 chs. of the last part - over bottom
 soil generally rich, may be termed 2^d rate, Timber
 Ash, Walnut, Sugar tree &c. 2^d & 3^d sec. part, a
 Honey Locust tree 30 ins. dia. bears N 27 W 39 lks.
 dist. & a Hickory tree 20 " " " S 76 54 lks. dist.
-

West Continue West

- 14.85 a Honey Locust tree 18 ins. dia. in the line
 15.00 came to Houghlan's creek runs N 66 E
 24.40 line runs in the creek
 31.74 a Hackberry tree 13 ins. dia. in the line
 34.44 came to a corner made by Benj. Chambers
 39.69 over rich 1st rate bottom land, Timbered with
 Walnut, Ash, Sugar tree &c. came to the corner
 of Sect. No. 283. J. 4. R. 2. W. 2^d
-

West From the corner of Sect. No. 283. J. 4. R. 2. W. 2^d.
Thence West

- 4.67 a White Ash tree 40 ins. dia. in the line
 25.50 on the North side of a hill, not steep, rich soil
 25.70 a Water course 25 lks. wide runs N 40 E came
 to bottom land.
 36.88 a Sycamore tree 40 ins. dia. in the line
 39.67 Over bottom land 1st & 2^d sec. part, a Sycamore
 tree 24 ins. dia. bears S 22 W 33 lks. dist. & a
 Sugar tree 10 ins. dia. bears N 22 E 15 lks. dist.
 Marked 1/2 sec. This mile may be called 2^d rate
 land, timber Oak, Ash, Walnut, Sugar tree &c.
-

West Continue West

T. L. R. D. W. 1st Mer.

- 8.92 Came to Moughlan's creek runs N 72 E
 13.65 crossed the creek
 25.65 Came to the creek again
 28.18 crossed the creek runs N 60 E
 33.42 Water course 6 lks. wide runs N 41 E
 39.67 Came to the corner of Sec. No. 3 & 4. T. L. R. D. W. D.
 The bottom on this line much broken by channels
 made by high water, may be termed 3rd rate land.
-

West From the corners of Sec. (No. 3 & 4. T. L. R. D. W. D.)
 thence West

- 0.80 Came to a corner made by Benj. Chambers
 8.34 a White Ash tree 18 ins. dia. in the line
 16.49 over rough land
 22.00 Came to Moughlan's creek, runs N 30 E
 34.96 crossed the creek, began to ascend steep hill
 39.99 Came over 3rd rate hilly land, set 1/2 section apart,
 a Blue Ash tree 8 ins. dia. bears N 36 E 30 lks. dist
 & a White Oak tree 12 ins. dia. bears N 42 W 6 lks. dist.
 Marked 1/2 sections
-

West Continue West

- 14.93 Came to hilly land
 18.20 a White Ash tree 15 ins. dia. in the line
 38.94 a corner made by Benjamin Chambers
 39.19 a Water course 7 lks. wide runs N 5 E
 39.99 Came to the corner of Sec. (No. 4 & 5. T. L. R. D. W. D.)
 W. D. came over 3rd rate hilly land, Timber
 Oak, Ash &c.
-

West From the corner of Sec. No. 4 & 5. T. L. R. D. W.
 D. thence West

- 4.80 an Ash tree 16 ins. dia. in the line
 19.29 a Water course 4 lks. wide runs N 10 W
 24.90 a Do Do 8 " " " N 32 E
 37.95 a Black Oak tree 18 ins. dia. in the line

T. 4. R. 2. W. 1st Mer.

39.94 Set $\frac{1}{2}$ sec. post a White Oak tree 36 ins. dia.
 bears S 52 W 27 lbs. dist. & an other White Oak
 tree 15 ins. dia. bears N 18 E 47 lbs. dist.
 Marked $\frac{1}{2}$ sec. came over - hilly 3rd rate land
 timbered with Oak. Hickory. Sugar tree &c

West continue West

12.80 a Water course 8 lbs. wide runs S 10 E
 18.40 a Do Do 15 " " " S 60 E
 34.78 a Walnut tree 16 ins. dia. in the line
 36.64 came to a stake set by Benj. Chambers.
 39.94 came to the corners of Sec. No. 5 & 6 - T. 4.
 R. 2. W. 2nd - came over - very hilly, rough
 3rd rate land, timbered with Oak. & Hickory -

Surveyed by
 William Ludlow
 Deputy Surveyor

I certify that the foregoing Transcript of the
 Field notes of Township No. 4 Range No. 2 West
 of the 1st Mer. has been compared with the original
 in this office and found to be correct

Surveyor General's Office

Cincinnati, Feb. 4th 1845

E. S. Larn
 Sur Genl